

Document Solutions

> PRINT > COPY > SCAN > FAX

ECOSYS M4125idn ECOSYS M4132idn ECOSYS M8124cidn ECOSYS M8130cidn

COLOR/MONOCHROME MULTIFUNCTION PRODUCT FOR A₄/A₃ FORMAT





- Breakthrough design for easy use, control and service.
- High image quality with 1,200 x 1,200 dpi print resolution.
- Fast first copy time (mono: 6.5 seconds; color: 8.3 seconds)*.
- Excellent clarity 7-inch color touch panel display**.
 Fast scanning up to 50/50 ipm A4 Mono/Color.
- Convenient wireless LAN interface***.
- Support Air Print and Mopria certified.
- Long life drum and replacement parts provide efficiency and reliability.
- Compact design and low noise emission.

*For ECOSYS M8130cidn ** For ECOSYS M4132idn / ECOSYS M8130cidn only ***Optional



Born to be Extraordinary

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunctional Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.





- With 1,200 x 1,200 dpi print resolution.
- Brighter color image by increasing the saturation of the intermediate density.

Copy both sides of an identification card/credit card/driving license/name card etc into one side of a paper with "ID Card Copy" mode.









Warm Up Time

Recovery from Sleep



ECOSYS M4125idn

ECOSYS M8124cidn



ECOSYS M8130cidn





Mono

Color



Combine up to 25-in-1 originals in one single page.







Saving up to 50% of paper!

Significantly reduce space for document storage and make archiving easy.







2 - sided > 2 - sided

- Auto Color Selection function: Cost-saving for color document printing (only for ECOSYS M8124cidn/M8130cidn).
- Prevent Bleed-Through function: Provide superior background reduction when copying or scanning double-sized paper (e.g. newspaper, NCR Paper).



• Job Finish Notice function: Send email notification when a job is completed.












• Sorting becomes an easy task with offset outputting.



Without Document Finisher



With Document Finisher (Optional)

- Efficient Document Functions and Multi-tasking
 - Built-in Job Separator: Make the distribution of output document easy into different trays.
 - Streamlined Operation: Perform multi-tasking Print/Copy/ Scan/Fax (Optional).



Scan



 Skip Blank Page Scan/copy to save unnecessary cost by skipping blank pages.



Store scanned data easily

By 'Scan to FTP', 'Scan to SMB', 'Scan to Email' and "Scan to USB".



Compress scanned images in different sizes with the advanced PDF compressor.




No. of broadcast items				
Email	Up to 100			
Folders (SMB, FTP)	Up to 5 Folders (SMB/FTP)			
*FAX	Up to 100			

*Requires the optional fax kit.

• FTP/SMB/Email/Fax Multi-Sending

- Scan once and send document to different destinations (email addresses, folders, etc.).
- \bullet Store up to 200 addresses and 50 group addresses for scan destinations.



Document Box

- Scan to/Print from USB Memory in PDF/TIFF/JPEG/XPS format.
- Files are processed directly from the control panel.
- No PC is required.



Fax (Optional)

Fax Forwardin

 Simply forward any incoming fax to another fax machine or other destinations by email/SMB/FTP.



• Capable of processing A3-sized document.

letwork Fax

Significantly reduce cost!

Send and receive faxes, even by overseas transmission, with the Super G3 Fax technology by PC.



Fax

Outstanding Features in Security



Security Enhancemen

• Secure Socket Layer (SSL) Data Security Protocol

Prevent eavesdropping and tampering by enhancing secure communication for remote configuration and data retrieval.

• Security Watermark

Distinguish originals from photocopies and provide protection for the sensitive document.



Original File





TACOMOTO CONCAP

Photocopy (Significant security watermark)

• Card Authentication* (Optional)

Control access and manage with predefined user restrictions such as color output restrictions.



• Private Print (Standard)

Retain the print job at the device and only process the print job by entering a preset password on the operation panel.

Professional All-Rounder Meets Business Requirements

• Prevent paper wrinkling or image skewing with an internal paper stack adjuster in the paper cassette.

y watermark)

• Ensure superior image quality with a closed and therefore dust-free image scanning unit.

Printout

- Prevent paper curling and provide better fusing capability with the built-in dehumidifying heater.
- Design for quick and easy replacement of drum, developer unit and other maintenance parts without any special tools.



Easy to Operate Panel with Intuitive Design

Multi-function Control Panel

• Easy-to-use operation panel: Display large icons with an animated menu with a color touchscreen.





 Clear indication of job status and output status with Job Separator LED and Device status LED.







Hybrid Platform for Advanced Solutions



- Users: Improve productivity and efficiency by simplified and faster operations.
- The IT Department: Maintain document and imaging integrity and security.

Empower Workforce with KYOCERA Mobile & Cloud Solutions

Powered by HyPAS




KYOCERA Mobile Print

- Print documents/webpages/image from virtually anywhere, on Apple/Android smartphone/tablet to designated KYOCERA MFPs and printers.
- Scan files and images from same MFPs to mobile devices.
- Support AirPrint for iPhone and iPad.

KYOCERA MOBILE PRINT Print Print Scan Wi-Fi Router Android

KYOCERA MyPanel

- Use smartphone/tablet to connect a compatible networked KYOCERA printing device on local Wi-Fi network wirelessly.
- Perform COPY/PRINT/SCAN from Custom Box/ Cloud### by mobile devices with personalizing settings.



KYOCERA Cloud Connect (Optional)

- Retrieve and print files in Google Drive/Evernote[®], directly from any KYOCERA HyPAS-enabled MFPs.
- Upload scanned files to Google Drive/Evernote®, directly from the MFP (without using a computer).



KYOCERA Fleet Services (Optional)

- Overview of all the devices status and receive notifications via the cloud.
- Preempt and plan for maintenance needs.



Support WiFi Direct

- Require IB-36 Wireless LAN (Optional)
- Makes print/scan via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.



Personalization of settings, shortcut keys (Favorites) and language selection are available on user profiles.



Network Authentication

Access and manage information through network authentication for Windows Server using Kerberos or NTLM.



ID ******


PASSWORD

KYOCERA Net Viewer - a Single Solution for Device Management and Reporting for IT Administrator

Comprehensive, well-designed and user-friendly!

Access a wide range of functions (e.g. counter reading, status checking, device configuration, print accounting, alert configuration, etc.) from

one administration point.



Convenient and time-saving!

The administrator can access the management functions on the network remotely from his PC.

- Collect meter count data easily.
- Understand print, copy, scan and fax volumes and costs.
- Optimize allocation of machines through analyzing the most commonly used data of print/copy volume, paper sizes.
- Grant permission and volume usage authorization to users.



Web Based KYOCERA Command Center RX

Check the operating status of the machine, as well as change settings related to security, network printing, email and advanced networking, etc. by accessing built-in Command Center RX with a web browser.



IPv6 Ready

Compatible with future network infrastructures as supporting IPv6.



Save Our Earth

- Reduce Wastage:
 - Long-life drum, developer and replacement parts

 Drum Life

 ECOSYS M8124cidn and ECOSYS M8130cidn
 200,000 prints

 ECOSYS M4125idn and ECOSYS M4132idn
 300,000 prints

KOCERA aims at providing safe and comfortable products which have minimum environmental impact by acquiring various environmental labels.





Label (Japan)

グリーン購入法遣台

Law on Promoting Green Purchasing (Japan)

- Parts for Recycling
- Non-toxic materials
- Save Toner Consumption: Flexible EcoPrint Features
- Save Power Consumption
 - Power consumption as low as 0.5 Watt is achieved in sleep mode
 - White LED illumination





			Main Spe	cifications				
Model		ECOSYS M8124cidn	ECOSYS M8130cidn	ECOSYS M4125idn	ECOSYS M4132idn			
Main Function				n, Fax (Optional)				
Writing Method								
CPU			Semiconductor Laser ARM Cortex-A9 (Dual Core) 1.2GHz					
Print Speed (A4) (Mono/Color)		24/24 ppm	30/30 ppm	25/ - ppm	32/ - ppm			
	Simplex(Mono/Color)	2.72. pp		0 ipm	32, pp			
(A4) 300dpi	Duplex(Mono/Color)			6 ipm				
Memory		Standard 1.5GB (Max. 3GB) Standard 1GB (Max. 3GB)						
SSD Capacity		SSD 32GB (Optional) /		SSD 128GB (Optional)				
Warm Up Time		30 seconds or less		20 seconds or less				
Paper Capacity Standard Maximum Cassette		600 sheets [1 x 500 sheets (Cassette) + 100 sheets (MPT)]						
		1,600 sheets (Main Unit + 2 x 500 sheets PF-471 x1 + MPT)						
		Min. ASR - Max. A3 (Ledger)						
MPT		Min. A6R - Max. A3 (Ledger) 60 - 256 g/m ² 60 - 163 g/m ²						
Paper Weight Cassette MPT Duplex Printing		60 - 256 g/m²		45 - 256 g/m ²				
		Paper size: A5R – A3; Paper weight: 60 - 220 g/m ²		Paper size: A5R – A3; Paper weight: 60 - 163 g/m ²				
Output Capacity		Max. 250 sheets + 30 sheets with standard Job Separator		Max. 250 sheets + 50 sheets with standard Job Separator				
Control Panel		4.3-inch Color Touch LCD Panel			7-inch Color Touch LCD Panel			
Document Proce	ssor	Standard (Max. 50 sheets RADF Type)						
Dimension (W x	D x H) (Main Unit)	590mm x 590mm :	x 753mm (with DP)	590mm x 590mr	n x 688mm (with DP)			
Weight (Main Ur	nit)	Approx. 76 kg	Approx. 79 kg	Approx. 72 kg	Approx. 74 kg			
Power Consump	tion Copy/Print Mode	510W	580W	390W	515W			
(Standard	Stand-by Mode	80	DW	55W	60W			
configuration)	Energy Saver		0.0	5W				
Noise	Copy/Print Mode	53dB(A)	54dB(A)	49dB(A)	50dB(A)			
(ISO7779/ ISO92	96) Stand-by Mode		34d	B(A)				
		Copy Functions (Standard)						
Copy Size				ger) – Min. A6R				
Resolution				600 dpi				
First Copy Time (Mono/Color)	7.6/ 9.8 seconds	6.5/ 8.3 seconds	5.8/ - seconds	5.2/ - seconds			
Zoom Ratio	Manual		25% - 400%	(1% per Step)	'			
200111 Natio	Pre-defined		5R	R5E				
Multiple Copy		1-999						
			Print Functio					
Resolution	on 600 x 600 dpi; 1,200 x 1,200 dpi							
PDL			PRESCRIBE, PCL6, KPDL3 (Postscript 3 co	ompatible), XPS, PDF Direct Print Ver. 1.7				
First Print Out Time (Mono/Color)		7.5/ 10.2 seconds	6.5/ 8.3 seconds	5.8/ - seconds	5.2/ - seconds			
Network Printing	3	TCP/IP, NetBEUI, FTP, Port 9100, LPR, IPP, IPP over SSL, WSD Print, Apple Bonjour Windows Songs 2009, Windows Songs 2009, B2, Windows Songs 2013, Windows Songs 2013, P.						
Operating System Supported		Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows 10;						
		Apple Macintosh OS X 10.5 or later; Linux						
Interface		USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host Interface (USB Host)x2; NFC TAGx1; 802.11 b/g/n/Wireless LAN/WiFi Direct (Optional)						
USB Memory Pri	nting Format	TIFF, JPEG, PDF, XPS, Open XPS						
Mobile Printing		AirPrint, Mopria, KYOCERA Mobile Print						
			Scan Functio					
Color Selection		Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White						
Resolution		600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi						
File Format Image Type Mode		TIFF, JPEG, XPS, OpenXPS, PDF (High-compression PDF) Text, Photo, Text + Photo, Light Text (Fine Line)						
Transmission Type		Scan to SMB; Scan to E-mail (SMTP, SMTP over SSL); Scan to FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan; WIA Scan						
Address Storage		200 addresses (Common address list), 50 groups (Group address list)						
Fax Functions (Optional)								
Original Size				Min. A5 (Statement)				
Coding Method		MMR, MR, MH, JBIG						
Transmission Spe								
Memory		12MB						
Network FAX			Y	es				
		Consumables & Options						
Toner Kit		TK-8110 (C/M/Y/K); CMW: 6,000 pages K: 12,000 pages (Page Yield in accordance with ISO/IEC 19798)		TK-6110; K : 15,000 pages (Page Yield in accordance with ISO/IEC 19752)				
Maintenance Kit		MK-8115 (A/B) : 200,000 pages; DP : MK-6110 : 300,000 pages		MK-6119 : 300,000 pages; DP : MK-6110 : 300,000pages				
Staple Cartridge		SH-10 : Staple for DF-470 (3 x 5,000 pages)						
Paper Feeder PF-470: 500 sheets x1; PF-471: 500 sheets x2								
Finisher (ECOSYS M8130cidn /			DF-470: 500 sheets Hanger Type Finisher;					
ECOSYS M4132idn only) AK-470: Attachment Kit for DF-470 Eav System Eav System 13								
Fax System		Fax System 13						
Storage Device Data Security								
Card Authentica	tion	Data Security Kit(E) Card Authentication Kit(B)						
Gigabit Ethernet Board IB-50: For Additional Network								
Wireless LAN Int								
ID-20 foot IT of Visit Anticies Park Aut intent								





KYOCERA Document Solutions Asia Limited

13/F, Mita Centre, 552-566 Castle Peak Road, Tsuen Wan, N.T., Hong Kong Tel: +852-2496-5678 Fax: +852-2610-2063 www.kyoceradocumentsolutions.asia

*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

@All rights reserved. Brochure/KDAS/201810/Smart MFP2







KYOCERA Business Partner